

5032-81

OSO-1378-81
07 AUG 1981

MEMORANDUM FOR: Deputy Director, National Foreign Assessment Center
ATTENTION: Chief, Administrative Group
FROM: Barry Kelly
Director of SIGINT Operations, DDS&T
SUBJECT: Relocation of Collection Analysis and Support Division

1. The following information is provided in response to your verbal request regarding space requirements for the Collection Analysis and Support Division, OSO (CASD) in the event that this component were to be relocated with OSWR/NFAC out-side the Headquarters Building: 25X1

Current Space Occupied

25X1

2. Based upon present overcrowded conditions, programmed acquisition of new equipment and projected personnel increases additional space as shown below will be required to accommodate CASD by FY-83: 25X1

25X11

3. In addition to the total square footage requirements there are other requirements unique to CASD which merit special attention. 25X1

SECRET

25X1

SUBJECT: Relocation of Collection Analysis and Support Division

These are:

- A. Vaulting for most of the area.
- B. Shielded enclosures (tempest approved) for designated areas to protect against emanations.
- C. Environmentally controlled space for tape storage, computers and electronic laboratory equipment.
- D. Raised flooring for much of the area.
- E. A dependable source and back-up source for electrical power.
- F. Geographical proximity to [redacted] and the Office of Data Processing - CASD requires access to ODP Central Computers which provide support for processing and analysis functions. This interface might best be served by an enciphered data link.

25X1

4. Hopefully the information provided above is sufficient to accommodate your planning efforts. If additional information or further definition of the material provided is required please don't hesitate to contact this office.

25X1

25X1